



SPECIFICATION GUIDE AND RETAIL PRICE LIST 2010

www. s-line .co.uk

	RANGE	PAGE
SIDE TAMBOUR UNITS	s:l	4
CUPBOARD UNITS	s:l	5
FILING DRAWER UNITS	s:l	6
MEDIA DRAWER UNITS	s:l	6
COMBI CUPBOARD UNITS	s:l	7
COMBI FLIPPER UNITS	s:l	8
UNIT INTERNALS	s:l	9
UNIT OPTIONS & ACCESSORIES	s:l	10
INTERNAL FILING CAPACITY	s:l	11
SPACE UTILISATION	s:l	11
THE CODING	s:l	12
PITCHING EXPLAINED	s:l	12
STANDARD HEIGHT ADJUSTMENT	s:l	12
MIX & MATCH	s:l	13
IMAGE OR GRAPHIC TAMBOUR BLINDS	IGT	14
ARTWORK & MATERIAL SPECIFICATION	IGT	15
FILING DRAWER UNITS	h:d	16
PERSONAL DRAWER UNITS	h:d	16
FILING CUPBOARD UNITS	h:d	17
PERSONAL CUPBOARD UNITS	h:d	18
PERSONAL COMBINATION UNITS	h:d	19
FULL HEIGHT CUPBOARD & PERSONAL DRAWER UNITS	h:d	20
FULL HEIGHT CUPBOARD & PERSONAL CUPBOARD UNITS	h:d	21
UNIT INTERNALS, OPTIONS & ACCESSORIES	h:d	22
THE CODING	h:d	23
THE PITCHING	h:d	23
LINEAR CALCULATOR / INTERNAL DIMENSIONS	h:d	23
STANDARD HEIGHT ADJUSTMENT	h:d	23
G3 COMBI PED WITH SIDE TAMBOUR TOPBOX	G3	24
G3 COMBI PED WITH OPEN BOOKCASE TOPBOX	G3	24
UNIT INTERNALS	G3	25
THE CODING	G3	26
INTERNAL DIMENSIONS	G3	26
PEDESTALS	s:line pedestals	27
BENCHMARK UNITS	benchmark	28
INTERNAL DIMENSIONS	benchmark	29
STANDARD HEIGHT ADJUSTMENT	benchmark	29
GLASS SHROUDING	benchmark	29
SKY:LINE UNITS	Sky:line	30
UNIT OPTIONS & ACCESSORIES	Sky:line	31
THE CODING	Sky:line	32
INTERNAL FILING CAPACITY	Sky:line	32
COLOUR PORTFOLIO	s:line	33
TAMBOUR OPTIONS	s:line	33
TRANSIT BOX	s:line	34
FEATURES AND OPTIONS OF ALL RANGES	s:line	35

s:line, from Silverline, offers a vast range of desk associated and perimeter storage with striking energetic designs.



From aesthetics to functionality we have a solution; a systems storage range to suit all filing choices, from suspended or lateral filing, to box files and lever arch.




Staking its claim amongst the elite and unique, s:line offers a vast range of storage options supported by a full colour spectrum.

s:line... your system, your choice.



For our s:line brochure
Tel: +44(0)1638 582700
Fax: +44(0)1638 582714
enquiries@s-line.co.uk
www.s-line.co.uk






Code	Description	Height (pitch)	Height (mm)	Width (mm)	Depth (mm)	Retail (£)
1 SL20AS	693mm high s:l Side Tambour	20	693	800	470	400.67
SL30AS	1003mm high s:l Side Tambour	30	1003	800	470	483.07
2 SL40AS	1313mm high s:l Side Tambour	40	1313	800	470	565.47
SL45AS	1468mm high s:l Side Tambour	45	1468	800	470	642.72
3 SL50AS	1623mm high s:l Side Tambour	50	1623	800	470	654.05
SL55AS	1778mm high s:l Side Tambour	55	1778	800	470	701.43
4 SL60AS	1933mm high s:l Side Tambour	60	1933	800	470	754.99
1 SL20BS	693mm high s:l Side Tambour	20	693	1000	470	465.56
SL30BS	1003mm high s:l Side Tambour	30	1003	1000	470	565.47
2 SL40BS	1313mm high s:l Side Tambour	40	1313	1000	470	666.41
SL45BS	1468mm high s:l Side Tambour	45	1468	1000	470	742.63
3 SL50BS	1623mm high s:l Side Tambour	50	1623	1000	470	783.83
SL55BS	1778mm high s:l Side Tambour	55	1778	1000	470	801.35
4 SL60BS	1933mm high s:l Side Tambour	60	1933	1000	470	860.05

15 year guarantee
 Fira tested
 Levelling feet (see page 12 for standard height adjustment)
 Strengthened slotted base can be used for filing
 It is recommended that all units below 40 pitch high should be fitted with a Counter Balance



For side tambour accessories: see page 9-10
 For internal filing capacity: see page 11
 For standard height adjustment: see page 12
 For carcass colour options: see page 33
 For tambour blinds options: see page 33




Code	Description	Height (pitch)	Height (mm)	Width (mm)	Depth (mm)	Retail (£)
1 SL20AC20	693mm high s:l Cupboard	20	693	800	470	418.18
SL30AC30	1003mm high s:l Cupboard	30	1003	800	470	483.07
2 SL40AC40	1313mm high s:l Cupboard	40	1313	800	470	554.14
SL45AC45	1468mm high s:l Cupboard	45	1468	800	470	636.54
3 SL50AC50	1623mm high s:l Cupboard	50	1623	800	470	671.56
SL55AC55	1778mm high s:l Cupboard	55	1778	800	470	725.12
4 SL60AC60	1933mm high s:l Cupboard	60	1933	800	470	766.32
1 SL20BC20	693mm high s:l Cupboard	20	693	1000	470	465.56
SL30BC30	1003mm high s:l Cupboard	30	1003	1000	470	530.45
2 SL40BC40	1313mm high s:l Cupboard	40	1313	1000	470	595.34
SL45BC45	1468mm high s:l Cupboard	45	1468	1000	470	654.05
3 SL50BC50	1623mm high s:l Cupboard	50	1623	1000	470	712.76
SL55BC55	1778mm high s:l Cupboard	55	1778	1000	470	760.14
4 SL60BC60	1933mm high s:l Cupboard	60	1933	1000	470	813.70

15 year guarantee
 Fira tested
 Levelling feet
 Strengthened slotted base plinth can be used for filing
 Quick release hinges allowing closures to be removed and refitted
 Double skin door on s:l cupboards
 It is recommended that all units below 40 pitch high should be fitted with a Counter Balance




For cupboard accessories: see page 9-10
 For internal filing capacity: see page 11
 For standard height adjustment: see page 12
 For carcass colour options: see page 33


FILING DRAWER UNITS



1



2



3


Code	Description	Height (pitch)	Height (mm)	Width (mm)	Depth (mm)	Retail (£)
1 SL20AD2	2 drawer s:l Filing Drawer Unit	20	693	800	470	613.88
2 SL30AD3	3 drawer s:l Filing Drawer Unit	30	1003	800	470	813.70
3 SL40AD4	4 drawer s:l Filing Drawer Unit	40	1313	800	470	942.45
1 SL20BD2	2 drawer s:l Filing Drawer Unit	20	693	1000	470	647.87
2 SL30BD3	3 drawer s:l Filing Drawer Unit	30	1003	1000	470	856.96
3 SL40BD4	4 drawer s:l Filing Drawer Unit	40	1313	1000	470	996.01

15 year guarantee
Fira tested
Levelling feet
All drawer compartments come with filing rails to allow left to right and front to back filing
Slotted drawer base
Where drawers are used a Counter balance is recommended




For drawer accessories: see page 10
For internal filing capacity: see page 11
For standard height adjustment: see page 12
For carcass colour options: see page 33


MEDIA DRAWER UNITS



1




2




3

Code	Description	Height (pitch)	Height (mm)	Width (mm)	Depth (mm)	Retail (£)
1 SL20AM4	4 drawer s:l Media Drawer Unit	20	693	800	470	818.85
2 SL30AM6	6 drawer s:l Media Drawer Unit	30	1003	800	470	1025.88
3 SL40AM8	8 drawer s:l Media Drawer Unit	40	1313	800	470	1284.41
1 SL20BM4	4 drawer s:l Media Drawer Unit	20	693	1000	470	860.05
2 SL30BM6	6 drawer s:l Media Drawer Unit	30	1003	1000	470	1078.41
3 SL40BM8	8 drawer s:l Media Drawer Unit	40	1313	1000	470	1331.79

15 year guarantee
Fira tested
Levelling feet
Where drawers are used a Counter balance is recommended



For media drawer accessories: see page 10
For internal filing capacity: see page 11
For standard height adjustment: see page 12
For carcass colour options: see page 33




Code	Description	Height (pitch)	Height (mm)	Width (mm)	Depth (mm)	Retail (£)
1 SL30AC20D1	20 pitch door & 1 drawer	30	1003	800	470	654.05
2 SL40AC20D2	20 pitch door & 2 drawer	40	1313	800	470	677.74
3 SL45AC20M1D2	20 pitch door, 1 media & 2 drawer	45	1468	800	470	1049.57
4 SL50AC20D3	20 pitch door & 3 drawer	50	1623	800	470	1031.03
5 SL55AC20M1D3	20 pitch door, 1 media & 3 drawer	55	1778	800	470	1113.43
6 SL60AC20D4	20 pitch door & 4 drawer	60	1933	800	470	1176.26
1 SL30BC20D1	20 pitch door & 1 drawer	30	1003	1000	470	695.25
2 SL40BC20D2	20 pitch door & 2 drawer	40	1313	1000	470	937.30
3 SL45BC20M1D2	20 pitch door, 1 media & 2 drawer	45	1468	1000	470	1095.92
4 SL50BC20D3	20 pitch door & 3 drawer	50	1623	1000	470	1060.90
5 SL55BC20M1D3	20 pitch door, 1 media & 3 drawer	55	1778	1000	470	1130.94
6 SL60BC20D4	20 pitch door & 4 drawer	60	1933	1000	470	1290.59

15 year guarantee
 Fira tested
 Levelling feet
 Quick release hinges allowing closures to be removed and refitted
 Double skin door on s:l cupboards
 Partition Shelf with slots
 Counter balance is recommended (See page 10)



For accessories: see page 9-10
 For internal filing capacity: see page 11
 For standard height adjustment: see page 12
 For carcass colour options: see page 33
 Other options available on request.
 Please contact our sales office




Code	Description	Height (pitch)	Height (mm)	Width (mm)	Depth (mm)	Retail (£)
1 SL45AF1D3	1 flipper & 3 drawers	45	1468	800	470	1066.05
2 SL50AF2D2	2 flippers & 2 drawers	50	1623	800	470	1049.57
3 SL55AF1D4	1 flipper & 4 drawers	55	1778	800	470	1119.61
4 SL60AF2D3	2 flippers & 3 drawers	60	1933	800	470	1237.03
1 SL45BF1D3	1 flipper & 3 drawers	45	1468	1000	470	1148.45
2 SL50BF2D2	2 flippers & 2 drawers	50	1623	1000	470	1106.22
3 SL55BF1D4	1 flipper & 4 drawers	55	1778	1000	470	1177.29
4 SL60BF2D3	2 flippers & 3 drawers	60	1933	1000	470	1295.74

15 year guarantee
 Fira tested
 Levelling feet
 Strengthened slotted base can be used for filing
 Where drawers are used a Counter balance is recommended
 Partition shelf slotted as standard




For accessories: see page 9-10
 For internal filing capacity: see page 11
 For standard height adjustment: see page 12
 For carcass colour options: see page 33
 Other options available on request.
 Please contact our sales office



Code	Description	Internal for:	Width (mm)	See Notes	Retail (£)
1 SLSSA1	Multi-purpose Slotted Shelf	Side Tambour	800		22.66
1 SLSSB1	Multi-purpose Slotted Shelf	Side Tambour	1000		32.96
1 SLSSCA1	Multi-purpose Slotted Shelf	Cupboard, Combi units	800		26.78
1 SLSSCB1	Multi-purpose Slotted Shelf	Cupboard, Combi units	1000		33.99
2 SLSDSA	Divider Kit - 1 Upstand & 5 dividers	Side Tambour	800	*	28.84
2 SLSDSB	Divider Kit - 1 Upstand & 5 dividers	Side Tambour	1000	*	30.90
2 SLSDCA	Divider Kit - 1 Upstand & 5 dividers	Cupboard, Combi units	800	*	28.84
2 SLSDCB	Divider Kit - 1 Upstand & 5 dividers	Cupboard, Combi units	1000	*	30.90
3 SLLSSA	Letter Sorter Kit - 2 dividers	Side Tambour	800	*	43.26
3 SLLSSB	Letter Sorter Kit - 3 dividers	Side Tambour	1000	*	58.71
3 SLLSCA	Letter Sorter Kit - 3 dividers	Cupboard, Combi units	800	*	43.26
3 SLLSCB	Letter Sorter Kit - 4 dividers	Cupboard, Combi units	1000	*	58.71
4 SLCRSA	Coat Rail Shelf Adapter	Side Tambour	800	*	42.23
4 SLCRSB	Coat Rail Shelf Adapter	Side Tambour	1000	*	47.38
4 SLCRCA	Coat Rail Shelf Adapter	Cupboard, Combi units	800	*	42.23
4 SLCRCB	Coat Rail Shelf Adapter	Cupboard, Combi units	1000	*	48.41
5 SLRSFSA	Roll Out Suspended Filing Frame	Side Tambour	800		87.55
5 SLRSFSB	Roll Out Suspended Filing Frame	Side Tambour	1000		90.64
5 SLRSFCA	Roll Out Suspended Filing Frame	Cupboard, Combi units	800		88.58
5 SLRSFCB	Roll Out Suspended Filing Frame	Cupboard, Combi units	1000		91.67

Filing Accessories come in black as standard (ref 003) If you require colour matched internals please state clearly on your order
 *For items 2, 3 and 4 please ensure item 1 is also ordered. (Shelves do not come with Divider Kit, Letter Sorter Kit or Coat Rail Shelf Adaptors)
 Multi-purpose Slotted Shelf has 330mm lateral filing capacity as standard



Code	Description	Accessory for:	Width (mm)	See Notes	Retail (£)
1 SLFCRSA	275 rail for lateral filing	Side Tambour	800		8.24
1 SLFCRSB	275 rail for lateral filing	Side Tambour	1000		8.24
1 SLFCRCA	275 rail for lateral filing	Cupboard, Combi units	800		8.24
1 SLFCRCB	275 rail for lateral filing	Cupboard, Combi units	1000		8.24
2 SLCDA	Media Drawer CD rack	Media Drawers	800		54.59
2 SLCDB	Media Drawer CD rack	Media Drawers	1000		55.62
2 SLDVDA	Media Drawer DVD rack	Media Drawers	800		54.59
2 SLDVDB	Media Drawer DVD rack	Media Drawers	1000		55.62
3 SLTTA	Translucent top panel (3mm)	All	800	*	188.49
3 SLTTB	Letter Sorter Kit - 3 dividers	All	1000		188.49
4 SLCBSA	Counter Balance	Side Tambour	800		51.50
4 SLCBSB	Counter Balance	Side Tambour	1000		51.50
4 SLCBCA	Counter Balance	Cupboard, Drawer Units	800	**	51.50
4 SLCBCB	Counter Balance	Cupboard, Drawer Units	1000	**	51.50
5 SLDIV1	Drawer Divider - single pack	Drawer Units			8.24
6 SLFBR	Conversion Rail (Front to back)	Roll out filing frame			5.15

Filing Accessories come in black as standard (ref 003) If you require colour matched internals please state clearly on your order
 *When matching blinds to tops colour variation may occur
 **Counter Balance is recommended for all drawer units
 If you wish to source MFC manufacturers for tops the dimensions are 1000mm or 800mm wide and 470mm deep
 Glass tops available

INTERNAL FILING CAPACITY

	800mm wide	1000mm wide	With Upstand	Without Upstand
Cupboard				
RSF: Left to Right	654	854		
Shelf - On Shelf filing	762	962	381	395
Shelf - Under Shelf Filing	722	922		
Tambour				
RSF: Left to Right	532	692		
Shelf - On Shelf filing	640	800	381	395
Shelf - Under Shelf Filing	600	760		
Side Filer				
Suspended Filing - Front to back	375 x 2 (A4 only)	375 x 2		
Suspended Filing - Left to Right	710	910		
Flipper				
On Shelf Filing	762	962	422	435
Media Drawer				
CD's	100 items	140 items		
DVD's	45 items	60 items		

	Box files	Lever Arch	Vertical	Lateral	CD's	DVD's
						
Foolscap h	368	350	240	375	142	135
w	75	75			125	192
d	265	285	360	330	10	15
A4 h	337	313	235			

SPACE UTILISATION

Internal Carcass Dimensions

Unit width	800mm	1000mm
Front to back	420mm	420mm
Left to right	705mm	905mm

Filing Position	Centres	Pitches
Suspended filing: A4 & foolscap	279mm	9
Suspended filing: A4 & foolscap	310mm	10
Lateral filing: 275 & 330	310mm	10
A4 Lever arch: shelf filing	372mm	12
A4 Lever arch: drawer filing	310mm	10
Foolscap Lever arch: shelf filing	403mm	13
Foolscap Lever arch: drawer filing	310mm	10
A4 Box files: shelf filing	403mm	13
A4 Box files: drawer filing	310mm	10
Foolscap Box files: shelf filing	434mm	14
Foolscap Box files: drawer filing	310mm	10

Unit Height	Unit Pitching
693mm	20 pitches
1003mm	30 pitches
1313mm	40 pitches
1468mm	45 pitches
1623mm	50 pitches
1778mm	55 pitches
1933mm	60 pitches
1 Pitch = 31mm	

Example: Customer requires unit for 4 X lever arch filing on shelf

Internals required = 3 X slotted shelf + bottom plinth

50 pitched unit = 2 pitches spare (62mm)

60 pitched unit = 12 pitches spare (372mm)

A4 lever arch, on shelf filing = 12 pitches. (4 X 12 = 48 pitches)

Suitable units = 50, 55 & 60 pitch high.


55 pitched unit = 7 pitches spare (217mm)

(or 60 pitched unit + 1 extra level)

THE CODE EXPLAINED

- Rule 1.** Building your code: Start with the range name, followed by the carcass + top down to bottom fitment.
- Rule 2.** The unit width must always be included after the unit height: 800mm = A 1000mm = B
- Rule 3.** Fitment heights are only use in Combi unit codes
- Rule 4.** Building code: make sure the number of fitment pitches matches the unit pitch height
- Rule 5.** Build your code: paint colours & side tambour codes should be added as an extra option
- Rule 6.** All internals come in black as standard. If colour match required please state clearly
- Rule 7.** Roll out internals & closures MUST always be located in the bottom half of the unit
- Rule 8.** Roll out internals should not be used in top half of combi units due to stability
- Rule 9.** It is recommended that units are loaded from bottom to top for stability
- Rule 10.** If ordering replacement a closure without carcass state the width ie. C20A

Example:

The unit	The code	The set up
Combi Unit		SL 45 A C20 M1 D2
	SL45AC20M1D2	SL s:l range
	20 pitch door	45 45 pitch height
	&	A 800mm width
	5 pitch media drawer	C20 20 pitch cupboard at top of unit
	&	M1 media drawer X 1
	2 X 10 pitch drawer	D2 filing drawers X 2 at bottom of unit

PITCHING EXPLAINED

1 Pitch = 31mm

Remember to allow 73mm for outer carcass

Unit pitching

- 693 high – 20 pitch
- 1003 high – 30 pitch
- 1313 high – 40 pitch
- 1468 high – 45 pitch
- 1623 high – 50 pitch
- 1778 high – 55 pitch
- 1933 high – 60 pitch

Door pitching

- 693 high – 20 pitch
- 1003 high – 30 pitch
- 1313 high – 40 pitch
- 1468 high – 45 pitch
- 1623 high – 50 pitch
- 1778 high – 55 pitch
- 1933 high – 60 pitch*

Drawer front pitching

- 10 pitch – Filing Drawer
- 5 pitch – Media Drawer

Flipper pitching

- 15 pitch

Example: 693mm high cabinet - 73mm / 31mm = 20 pitch unit


When specifying Combi Units ensure that the combination of fitment pitching is equal to the outer carcass pitching

Example: 1623mm high unit with 20 pitch high doors & 3 X 10 pitch drawers
 = (20 X 31) + [3 X (10 X 31)] + 73
 = (620) + (3 X 310) + (73)
 1623mm high unit


STANDARD HEIGHT ADJUSTMENT - larger height adjustment feet available

pitch	height	height adjustment
20	693	693 – 703
30	1003	1003 – 1013
40	1313	1313 – 1323
45	1468	1468 – 1478
50	1623	1623 – 1633
55	1778	1778 – 1788
60	1933	1933 – 1943


The carcass Codes



The Cupboard Door Closure Codes



Flipper, Drawer and Media Drawer Closure codes



If you are ordering a closure (i.e. A C20/20 pitch cupboard door) without a carcass please add the width after the code

Example: 1 X C20A - 20 pitch cupboard door closures @ 800mm wide

Please note this ONLY applies if you are ordering replacement closures, this code should not be used for combination units



Code	Description	Net (£) 1-25 qty	Net (£) 25-50 qty
IGTA20	693mm h 800mm w s:l Side Tambour IGT blind	233.81	98.88
IGTA30	1003mm h 800mm w s:l Side Tambour IGT blind	257.50	115.36
IGTA40	1313mm h 800mm w s:l Side Tambour IGT blind	281.19	131.84
IGTA45	1468mm h 800mm w s:l Side Tambour IGT blind	292.52	139.05
IGTA50	1623mm h 800mm w s:l Side Tambour IGT blind	304.88	147.29
IGTA55	1778mm h 800mm w s:l Side Tambour IGT blind	316.21	155.53
IGTA60	1933mm h 800mm w s:l Side Tambour IGT blind	327.54	163.77
IGTB20	693mm h 1000mm w s:l Side Tambour IGT blind	233.81	98.88
IGTB30	1003mm h 1000mm w s:l Side Tambour IGT blind	257.50	115.36
IGTB40	1313mm h 1000mm w s:l Side Tambour IGT blind	281.19	131.84
IGTB45	1468mm h 1000mm w s:l Side Tambour IGT blind	292.52	139.05
IGTB50	1623mm h 1000mm w s:l Side Tambour IGT blind	304.88	147.29
IGTB55	1778mm h 1000mm w s:l Side Tambour IGT blind	316.21	155.53
IGTB60	1933mm h 1000mm w s:l Side Tambour IGT blind	327.54	163.77

IGT is bespoke to your graphical specification
 Blinds are retrofittable on most Side Tambours
 See page 15 for tips on how to design your artwork
 For quantities over 50 please contact our sales team for further discounts


Prices are for the Image or Graphic Tambour Blind only. Please add the price of your s:l side tambour (page 4) to work out the full price.
 IGT prices are net prices and not subject to discount
 IGT is also available on other ranges. Please contact our sales office for more information

Graphics are printed with the latest large format digital print technology using durable and environmentally friendly UV inks at high resolution. Professional colour management systems ensure accurate reproduction and vibrant colour saturation. The transfer material has UV properties and has a manufacturers guarantee of longevity in external and internal environments.

- | | | | | | |
|--|--|--|---|---|--|
| <p>Rule 1.
Artwork supply: Image - based (raster) artworks should be supplied in JPEG or TIFF format at 200dpi at finished size</p> | <p>Rule 2.
Vector artwork should be supplied in high resolution PDF, EPS or as a native file from Adobe Illustrator, Indesign or Quark Xpress</p> | <p>Rule 3.
Graphics, Images and Logo's can be reproduced CMYK only, no metallic & spot colour artwork can be accepted</p> | <p>Rule 4.
Base blind colour is light grey (314 / RAL 7035) This is only changed if the image contains a high Silver content. The choice of blind has no affect on the unit carcass colour</p> | <p>Rule 5.
Images can be printed on a clear backing sheet, where this is the case then a specific blind colour will need to be stated. This will affect lead times</p> | <p>Rule 6.
Artwork supplied in any other formats or at incorrect finished size will not be accepted</p> |
|--|--|--|---|---|--|

The engineering of any side tambour requires several of the blind slats to be obscured from view. The following guidance should be followed when supplying artwork:


- Hidden picture frame of graphic = h x 28mm (2 x 14mm) w x 30mm (2 x 15mm)
- Handle placement: all handles are vertically and horizontally centralised on the tambour door, with the exception of 690mm and 1000mm high units, where the handle is centralised horizontally but is above central on the vertical.



1	Visible area width
2	Visible area height
3	Print area width
4	Print area height

s:l side tambour code	s:l side tambour unit dimensions	Print area		Visible Area	
		H x W	H x W	H x W	H x W
SL20AS20 IGT	1933 x 800 x 470	1881 x 800	1853 x 770		
SL30AS30 IGT	1778 x 800 x 470	1726 x 800	1698 x 770		
SL40AS40 IGT	1623 x 800 x 470	1571 x 800	1543 x 770		
SL45AS45 IGT	1468 x 800 x 470	1416 x 800	1388 x 770		
SL50AS50 IGT	1313 x 800 x 470	1261 x 800	1388 x 770		
SL50AS55 IGT	1003 x 800 x 470	951 x 800	923 x 770		
SL60AS60 IGT	693 x 800 x 470	641 x 800	613 x 770		
SL20BS20 IGT	1933 x 1000 x 470	1881 x 1000	1853 x 970		
SL30BS30 IGT	1778 x 1000 x 470	1726 x 1000	1698 x 970		
SL40BS40 IGT	1623 x 1000 x 470	1571 x 1000	1543 x 970		
SL45BS45 IGT	1468 x 1000 x 470	1416 x 1000	1388 x 970		
SL50BS50 IGT	1313 x 1000 x 470	1261 x 1000	1388 x 970		
SL50BS55 IGT	1003 x 1000 x 470	951 x 1000	923 x 970		
SL60BS60 IGT	693 x 1000 x 470	641 x 1000	613 x 970		


FILING DRAWER UNITS



1



2



3

Code	Description	Height (pitch)	Height (mm)	Width (mm)	Depth (mm)	Retail (£)
1 HD20AFD2	2 X h:d filing drawer unit	20	693	800	470	621.09
2 HD30AFD3	3 X h:d filing drawer unit	30	1003	800	470	834.30
3 HD40AFD4	4 X h:d filing drawer unit	40	1313	800	470	997.04
1 HD20BFD2	2 X h:d filing drawer unit	20	693	1000	470	657.14
2 HD30BFD3	3 X h:d filing drawer unit	30	1003	1000	470	874.47
3 HD40BFD4	4 X h:d filing drawer unit	40	1313	1000	470	1048.54


15 year guarantee
Fira tested
Levelling feet
Full height back on drawers in conjunction with security plates for maximum security
Drawers are individually locking
All drawers come with filing rails to allow left to right and front to back




For standard height adjustment: see page 23
For internal filing capacity: see page 23
Counter balances are recommended and must be ordered separately: see page 22 for h:d options and accessories
For carcass colour options: see page 33

PERSONAL DRAWER UNITS


When a **PERSONAL** drawer is referred to the individually locking compartment is half the width of the unit



1



2




3

Code	Description	Height (pitch)	Height (mm)	Width (mm)	Depth (mm)	Retail (£)
1 HD20APD4	4 X h:d personal drawer unit	20	693	800	470	794.13
2 HD30APD6	6 X h:d personal drawer unit	30	1003	800	470	1117.55
3 HD40APD8	8 X h:d personal drawer unit	40	1313	800	470	1492.47
1 HD20BPD4	4 X h:d personal drawer unit	20	693	1000	470	828.12
2 HD30BPD6	6 X h:d personal drawer unit	30	1003	1000	470	1152.57
3 HD40BPD8	8 X h:d personal drawer unit	40	1313	1000	470	1535.73

15 year guarantee
Fira tested
Levelling feet
Full height back on drawers in conjunction with security plates for maximum security
Drawers are individually locking
All drawers come with filing rails to allow left to right and front to back filing



For standard height adjustment: see page 23
For internal filing capacity: see page 23
Counter balances are recommended and must be ordered separately: see page 22 for h:d options and accessories
For carcass colour options: see page 33



Code	Description	Height (pitch)	Height (mm)	Width (mm)	Depth (mm)	Retail (£)
1 HD20AFC10	2 X 10 pitch h:d filing cupboard unit	20	693	800	470	443.93
2 HD30AFC10	3 X 10 pitch h:d filing cupboard unit	30	1003	800	470	634.48
3 HD30AFC15	2 X 15 pitch h:d filing cupboard unit	30	1003	800	470	679.80
4 HD40AFC10	4 X 10 pitch h:d filing cupboard unit	40	1313	800		772.50
5 HD40AFC20	2 X 20 pitch h:d filing cupboard unit	40	1313	800	470	736.45
1 HD20BFC10	2 X 10 pitch h:d filing cupboard unit	20	693	1000	470	472.77
2 HD30BFC10	3 X 10 pitch h:d filing cupboard unit	30	1003	1000	470	650.96
3 HD30BFC15	2 X 15 pitch h:d filing cupboard unit	30	1003	1000	470	726.15
4 HD40BFC10	4 X 10 pitch h:d filing cupboard unit	40	1313	1000	470	801.34
5 HD40BFC20	2 X 20 pitch h:d filing cupboard unit	40	1313	1000	470	787.95


15 year guarantee
 Fira tested
 Levelling feet
 Cupboards are individually locking
 Double skin door fronts on h:d cupboard compartments
 Strengthened slotted base plinth can be used for filing



For standard height adjustment: see page 23
 For internal filing capacity: see page 23
 Counter balances are recommended and must be ordered separately: see page 22 for h:d options and accessories
 For carcass colour options: see page 33

PERSONAL CUPBOARD UNITS

When a PERSONAL cupboard is referred to the individually locking compartment is half the width of the unit



1

2

3

4

5

Code	Description	Height (pitch)	Height (mm)	Width (mm)	Depth (mm)	Retail (£)
1 HD20APC10	4 X 10 pitch h:d personal cupboard	20	693	800	470	615.94
2 HD30APC10	6 X 10 pitch h:d personal cupboard	30	1003	800	470	677.74
3 HD30APC15	4 X 15 pitch h:d personal cupboard	30	1003	800	470	624.18
4 HD40APC10	8 X 10 pitch h:d personal cupboard	40	1313	800		908.46
5 HD40APC20	4 X 20 pitch h:d personal cupboard	40	1313	800	470	622.12
1 HD20BPC10	4 X 10 pitch h:d personal cupboard	20	693	1000	470	654.05
2 HD30BPC10	6 X 10 pitch h:d personal cupboard	30	1003	1000	470	703.49
3 HD30BPC15	4 X 15 pitch h:d personal cupboard	30	1003	1000	470	640.66
4 HD40BPC10	8 X 10 pitch h:d personal cupboard	40	1313	1000	470	939.36
5 HD40BPC20	4 X 20 pitch h:d personal cupboard	40	1313	1000	470	701.43


15 year guarantee
Fira tested
Levelling feet
Cupboards are individually locking
Double skin door fronts on h:d cupboard compartments
Strengthened slotted base plinth can be used for filing




For standard height adjustment: see page 23
For internal filing capacity: see page 23
Counter balances are recommended and must be ordered separately: see page 22 for h:d options and accessories
For carcass colour options: see page 33

PERSONAL DRAWER & PERSONAL CUPBOARD COMBINATION UNIT

When a PERSONAL drawer or cupboard is referred to the individually locking compartment is half the width of the unit



1



2

Code	Description	Height (pitch)	Height (mm)	Width (mm)	Depth (mm)	Retail (£)
1 HD40APCR10PD4	4 x 10 pitch h:d personal drawer (left) & 4 x 10 pitch h:d cupboard drawer (right)	40	1313	800	470	1153.60
2 HD40APC10PD4	4 x 10 pitch h:d personal cupboard (top) & 4 x 10 pitch h:d personal drawer (bottom)	40	1313	800	470	1318.40
1 HD40BPCR10PD4	4 x 10 pitch h:d personal drawer (left) & 4 x 10 pitch h:d cupboard drawer (right)	40	1313	1000	470	1194.80
2 HD40BPC10PD4	4 x 10 pitch h:d personal cupboard (top) & 4 x 10 pitch h:d personal drawer (bottom)	40	1313	1000	470	1380.20


15 year guarantee
 Fira tested
 Levelling feet
 compartments are individually locking
 Double skin door fronts on h:d cupboard compartments
 Strengthened slotted base plinth can be used for filing
 Full height back on drawers in conjunction with security plates for maximum security
 All drawers come with filing rails to allow left to right and front to back filing



For standard height adjustment: see page 23
 For internal filing capacity: see page 23
 Counter balances are recommended and must be ordered separately: see page 22 for h:d options and accessories
 For carcass colour options: see page 33

FULL HEIGHT CUPBOARDS & PERSONAL DRAWERS COMBINATION UNIT

When a PERSONAL drawer is referred to the individually locking compartment is half the width of the unit



Code	Description	Height (pitch)	Height (mm)	Width (mm)	Depth (mm)	Retail (£)
1 HD30ACL30PD3	1 x 30 pitch h:d full height cupboard (left) & 3 x 10 pitch h:d personal drawer (right)	30	1003	800	470	780.74
2 HD30ACR30PD3	1 x 30 pitch h:d full height cupboard (right) & 3 x 10 pitch h:d personal drawer (left)	30	1003	800	470	780.74
3 HD40ACL40PD4	1 x 40 pitch h:d full height cupboard (left) & 4 x 10 pitch h:d personal drawer (right)	40	1313	800	470	1019.70
4 HD40ACR40PD4	1 x 40 pitch h:d full height cupboard (right) & 4 x 10 pitch h:d personal drawer (left)	40	1313	800	470	1019.70
1 HD30BCL30PD3	1 x 30 pitch h:d full height cupboard (left) & 3 x 10 pitch h:d personal drawer (right)	30	1003	1000	470	806.49
2 HD30BCR30PD3	1 x 30 pitch h:d full height cupboard (right) & 3 x 10 pitch h:d personal drawer (left)	30	1003	1000	470	806.49
3 HD40BCL40PD4	1 x 40 pitch h:d full height cupboard (left) & 4 x 10 pitch h:d personal drawer (right)	40	1313	1000	470	1038.24
4 HD40BCR40PD4	1 x 40 pitch h:d full height cupboard (right) & 4 x 10 pitch h:d personal drawer (left)	40	1313	1000	470	1038.24


15 year guarantee
 Fira tested
 Levelling feet
 compartments are individually locking
 Double skin door fronts on h:d cupboard compartments
 Strengthened slotted base can be used for filing
 Full height back on drawers in conjunction with security plates for maximum security
 All drawers come with filing rails to allow left to right and front to back filing




For standard height adjustment: see page 23
 For internal filing capacity: see page 23
 Counter balances are recommended and must be ordered separately: see page 22 for h:d options and accessories
 For carcass colour options: see page 33

FULL HEIGHT CUPBOARDS & PERSONAL CUPBOARD COMBINATION UNIT

When a PERSONAL cupboard is referred to the individually locking compartment is half the width of the unit



Code	Description	Height (pitch)	Height (mm)	Width (mm)	Depth (mm)	Retail (£)	
1	HD30ACL30PC10	1 x 30 pitch h:d full height cupboard (left) & 3 x 10 pitch h:d personal cupboard (right)	30	1003	800	470	615.94
2	HD30ACR30PC10	1 x 30 pitch h:d full height cupboard (right) & 3 x 10 pitch h:d personal cupboard (left)	30	1003	800	470	615.94
3	HD30ACL30PC15	1 x 30 pitch h:d full height cupboard (left) & 2 x 15 pitch h:d personal cupboard (right)	30	1003	800	470	539.72
4	HD30ACR30PC15	1 x 30 pitch h:d full height cupboard (right) & 2 x 15 pitch h:d personal cupboard (left)	30	1003	800	470	539.72
5	HD40ACL40PC10	1 x 40 pitch h:d full height cupboard (left) & 4 x 10 pitch h:d personal cupboard (right)	40	1313	800	470	808.55
6	HD40ACR40PC10	1 x 40 pitch h:d full height cupboard (right) & 4 x 10 pitch h:d personal cupboard (left)	40	1313	800	470	808.55
7	HD40ACL40PC20	1 x 40 pitch h:d full height cupboard (left) & 2 x 20 pitch h:d personal cupboard (right)	40	1313	800	470	704.52
8	HD40ACR40PC20	1 x 40 pitch h:d full height cupboard (right) & 2 x 20 pitch h:d personal cupboard (left)	40	1313	800	470	704.52
1	HD30BCL30PC10	1 x 30 pitch h:d full height cupboard (left) & 3 x 10 pitch h:d personal cupboard (right)	30	1003	1000	470	654.05
2	HD30BCR30PC10	1 x 30 pitch h:d full height cupboard (right) & 3 x 10 pitch h:d personal cupboard (left)	30	1003	1000	470	654.05
3	HD30BCL30PC15	1 x 30 pitch h:d full height cupboard (left) & 2 x 15 pitch h:d personal cupboard (right)	30	1003	1000	470	560.32
4	HD30BCR30PC15	1 x 30 pitch h:d full height cupboard (right) & 2 x 15 pitch h:d personal cupboard (left)	30	1003	1000	470	560.32
5	HD40BCL40PC10	1 x 40 pitch h:d full height cupboard (left) & 4 x 10 pitch h:d personal cupboard (right)	40	1313	1000	470	834.30
6	HD40BCR40PC10	1 x 40 pitch h:d full height cupboard (right) & 4 x 10 pitch h:d personal cupboard (left)	40	1313	1000	470	834.30
7	HD40BCL40PC20	1 x 40 pitch h:d full height cupboard (left) & 2 x 20 pitch h:d personal cupboard (right)	40	1313	1000	470	717.91
8	HD40BCR40PC20	1 x 40 pitch h:d full height cupboard (right) & 2 x 20 pitch h:d personal cupboard (left)	40	1313	1000	470	717.91



Code	Description	Accessory for:	Width (mm)	See Notes	Retail (£)
1 SLSSCA1	Multi-purpose Slotted Shelf	Filing Cupboard	800	**	26.78
1 SLSSCB1	Multi-purpose Slotted Shelf	Filing Cupboard	1000	**	33.99
1 SLSSHC1	Multi-purpose Slotted Shelf	Personal Cupboard	400	**	22.66
1 SLSSHD1	Multi-purpose Slotted Shelf	Personal Cupboard	500	**	24.72
2 SLSDCA	Shelf Divider Kit	Filing Cupboard	800	*	28.84
2 SLSDCB	Shelf Divider Kit	Filing Cupboard	1000	*	30.90
2 SLSDCC	Shelf Divider Kit	Personal Cupboard	400	*	59.74
2 SLSDCD	Shelf Divider Kit	Personal Cupboard	500	*	63.86
3 LLSCA	Letter Sorter Kit - 3 dividers	Filing Cupboard	800	*	43.26
3 LLSCB	Letter Sorter Kit - 4 dividers	Filing Cupboard	1000	*	58.71
3 LLSCC	Letter Sorter Kit - 1 divider	Personal Cupboard	400	*	94.76
3 LLSCD	Letter Sorter Kit - 2 dividers	Personal Cupboard	500	*	117.42
4 SLCRHC	Coat Rail Shelf Adapter	Personal Cupboard	400	*	25.75
4 SLCRHD	Coat Rail Shelf Adapter	Personal Cupboard	500	*	28.84
5 SLFCRCA	275 Rail for Lateral Filing	Filing Cupboard	800		8.24
5 SLFCRCB	275 Rail for Lateral Filing	Filing Cupboard	1000		8.24
5 SLFCRCC	275 Rail for Lateral Filing	Personal Cupboard	400		14.42
5 SLFCRCS	275 Rail for Lateral Filing	Personal Cupboard	500		16.48
6 SLCBCA	Counter Balance	Drawer Units	800	***	51.50
6 SLCBCB	Counter Balance	Drawer Units	1000	***	51.50
7 SLTTA	Translucent Top Panel (3mm)	All	800		188.49
7 SLTTB	Translucent Top Panel (3mm)	All	1000		188.49
8 SLDIV1	Single Shelf Divider	All	All		8.24

Filing Accessories come in black as standard (ref 003) If you require colour matched internals please state clearly on your order
 *For items 2, 3 and 4 please ensure item 1 is also ordered. (Shelves do not come with Divider Kit, Letter Sorter Kit or Coat Rail Shelf Adaptors)

**Multi-purpose Slotted Shelf has 330mm lateral filing capacity

***Counter Balance is recommended for all drawer units

If you wish to source MFC manufacturers for tops the dimensions are 1000mm or 800mm wide and 470mm deep

- Rule 1.** Building your code: Start with the range name, followed by the unit height
- Rule 2.** The unit width must always be included after the unit height: 800mm = A 1000mm = B
- Rule 3.** Build the closures from the top down or the largest closure across
- Rule 4.** Build your code: paint colours codes should be added as an extra option
- Rule 5.** All internals come in black as standard. If colour match required please state clearly
- Rule 6.** When replacing closures fitments must remain at same width. i.e. personal drawer for personal door @ 10 pitch
- Rule 7.** h:d is to be a fixed partition construction. Partitions are factory fitted and are not retrofitable
- Rule 8.** Drawer closures can never be put above a door closure (structural constraints)
- Rule 9.** It is recommended that units are loaded from bottom to top for stability
- Rule 10.** PC = Personal Cupboard
FC = Filing Cupboard
PD = Personal Drawer
FD = Filing Drawer

PITCHING

1 Pitch = 31mm

Remember to allow 73mm for outer carcass

Unit pitching

693 high – 20 pitch
1003 high – 30 pitch
1313 high – 40 pitch

Filing Cupboard door pitching (FC)

10 pitch 800mm/1000mm w
15 pitch 800mm/1000mm w
20 pitch 800mm/1000mm w

Filing Drawer pitching (FD)

10 pitch 800mm/1000mm w

Personal Cupboard door pitching (PC)

10 pitch 400mm/500mm w
15 pitch 400mm/500mm w
20 pitch 400mm/500mm w

Personal Drawer pitching (PD)

10 pitch 400mm/500mm w

Full height door pitching (CL /CR)

30 pitch 400mm/500mm w
40 pitch 400mm/500mm w


LINEAR CALCULATOR / INTERNAL DIMENSIONS

	Filing Drawers	Personal Drawers
Internal Depth	420mm	420mm
Internal Height	290mm	290mm
Internal Left to Right	909mm = 1000mm wide unit	397mm = 500mm wide unit
	709mm = 800mm wide unit	297mm = 400mm wide unit

	Filing Cupboard	Personal Cupboard
Internal Depth	440mm	440mm
Internal Clear Opening	10 pitch = 294mm	10 pitch = 294mm
	15 pitch = 449mm	15 pitch = 449mm
	20 pitch = 604mm	20 pitch = 604mm
		30 pitch = 927mm
		40 pitch = 1237mm
Internal Left to Right Shelf Width	962mm = 1000mm wide unit	466mm = 500mm wide unit
	762mm = 800mm wide unit	366mm = 400mm wide unit

STANDARD HEIGHT ADJUSTMENT - larger height adjustment feet available

pitch	height	height adjustment		
20	693	693	-	703
30	1003	1003	-	1013
40	1313	1313	-	1323




Code	Description	Height (mm)	Width (mm)	Depth (mm)	Retail (£)
1 G3ST6126L	G3, 600/600 Side Tambour Combi:ped, Left hand	1200	420	600	757.05
2 G3ST8128L	G3, 800/800 Side Tambour Combi:ped, Left hand	1200	420	800	790.01
3 G3ST8126L	G3, 800/600 Side Tambour Combi:ped, Left hand	1200	420	800/600	772.50
7 G3ST6126R	G3, 600/600 Side Tambour Combi:ped, Right hand	1200	420	600	757.05
8 G3ST8128R	G3, 800/800 Side Tambour Combi:ped, Right hand	1200	420	800	790.01
9 G3ST8126R	G3, 800/600 Side Tambour Combi:ped, Right hand	1200	420	800/600	772.50
4 G3BK6126L	G3 Bookcase Combi:ped, 600/600 Left hand	1200	420	600	645.81
5 G3BK8128L	G3 Bookcase Combi:ped, 800/800 Left hand	1200	420	800	678.77
6 G3BK8126L	G3 Bookcase Combi:ped, 800/600 Left hand	1200	420	800/600	662.29
10 G3BK6126R	G3 Bookcase Combi:ped, 600/600 Right hand	1200	420	600	645.81
11 G3BK8128R	G3 Bookcase Combi:ped, 800/800 Right hand	1200	420	800	678.77
12 G3BK8126R	G3 Bookcase Combi:ped, 800/600 Right hand	1200	420	800/600	662.29

5 year guarantee
 Desk high pedestal with levelling feet
 Available left and right hand facing with ease of reconfiguring side on site
 Pedestal includes pen tray
 5th castor provides anti-tilt
 Supplied with shelf for topbox



2 depths of pedestals
 Choice of open fronted bookcase or Side Tambour top box
 G3 magnetic whiteboard
 Slotted shelf, Letter Sorter and Divider Kit available
 For carcass colour options: see page 33
 For Tambour Topbox blind options: see page 33



Code	Description	Accessory for:	Width (mm)	See notes	Retail (£)
1 G3DIV1052	Shelf divider, Single pack	Topbox		*	9.69
2 G3LS1052	Letter sorter, Single pack	Topbox		*	25.03
3 G3SDB6052	BK Shelf Divider Kit	Bookcase topbox	600	*	33.72
3 G3SDB8052	BK Shelf Divider Kit	Bookcase topbox	800	*	33.79
3 G3SDS6052	ST Shelf Divider Kit	Side Tambour topbox	600	*	33.72
3 G3SDS8052	ST Shelf Divider Kit	Side Tambour topbox	800	*	33.79
4 G3SSB6052	BK Multi Shelf 300 lat files	Bookcase topbox	600	*	13.35
4 G3SSB8052	BK Multi Shelf 300 lat files	Bookcase topbox	800	*	13.50
4 G3SSS6052	SK Multi Shelf 300 lat files	Side Tambour topbox	600	*	11.60
4 G3SSS8052	SK Multi Shelf 300 lat files	Side Tambour topbox	800	*	12.29
5 G3MAGW	Magnetic whiteboard vinyl	All			18.88

*Filing Accessories come in Silver as standard (ref 052) If you require colour matched internals please state clearly on your order

Rule 1.
Building your code: Start with the range name, G3.

Rule 2.
BK or ST denotes the top box type i.e. bookcase or side tambour

Rule 3.
The top box size is always 420mm (to match ped width) by 600 or 800, (depth of top box).


Rule 4.
The depth and width must be clearly understood - the top box opening is on the side of the unit and therefore the depth is still front to back.


Rule 5.
If cable management is needed then the 600 deep ped is required

Rule 6.
The chosen side of unit access must be considered ie a left or right handin specified (L or R)

Rule 7.
If the handing is mis-specified; this can be rectified as the unit can be re-handed on site.

INTERNAL DIMENSIONS





1


2

3

4

5

6



7

8

9

10

11


12

Code	Description	Height (mm)	Width (mm)	Depth (mm)	Retail (£)	
1	SLPDBP53SSH	s:line pedestal, 2 + 1, slimline scalloped handle	600	300	570	323.42
2	SLPDBP54SH	s:line pedestal, 2 + 1, scalloped handle	600	420	570	325.48
3	SLPDUD50SH	s:line pedestal, 2 + 1, scalloped handle	660	420	570	327.54
4	SLPDUD55SH	s:line pedestal, 1 + 1, scalloped handle	505	420	570	317.24
5	SLPDDH63SH	s:line pedestal, 2 + 1, scalloped handle	690	420	600	339.90
6	SLPDDH83SH	s:line pedestal, 2 + 1, scalloped handle	690	420	800	373.89
7	SLPDBP53FH	s:line pedestal, 2 + 1, finger pull handle	600	300	570	323.42
8	SLPDBP54FH	s:line pedestal, 2 + 1, finger pull handle	600	420	570	325.48
9	SLPDUD50FH	s:line pedestal, 2 + 1, finger pull handle	660	420	570	327.54
10	SLPDUD55FH	s:line pedestal, 1 + 1, finger pull handle	505	420	570	317.24
11	SLPDDH63FH	s:line pedestal, 2 + 1, finger pull handle	690	420	600	339.90
12	SLPDDH83FH	s:line pedestal, 2 + 1, finger pull handle	690	420	800	373.89

5 year guarantee
 Fira tested
 Desk high pedestals with levelling feet
 2 Key master series
 Includes pen tray
 5th castor provides anti-tilt
 Slimline Pedestal (SLPDBP53) offers a slimline handle



For carcass colour options: see page 33
 2 widths to choose from
 3 heights to choose from
 Choice of handle design



Code	Description	Height (mm)	Width (mm)	Depth (mm)	Retail (£)
1 BM216PC10PD10	Personal combi unit with 4 doors at top & 4 drawers at bottom - including glass shrouding	720	1600	470	2220.68
2 BM216PD10	Personal drawer unit with 8 drawers including glass shrouding	720	1600	470	2464.79
3 BM216PC10	Personal cupboard unit with 8 doors including glass shrouding	720	1600	470	1972.45
BM216PC10PD10NG	Personal combi unit with 4 doors at top & 4 drawers at bottom - no glass	720	1600	470	1293.68
BM216PD10NG	Personal drawer unit with 8 drawers - no glass	720	1600	470	1537.79
BM216PC10NG	Personal cupboard unit with 8 doors - no glass	720	1600	470	1045.45

5 year guarantee
 Levelling feet (fitted on installation)
 Individually locking compartments
 Strengthened base
 Slotted base plinth on door compartments
 Configuration 2 includes a security plate resulting in top compartments still being interlocked



For carcass colour options: see page 33
 If you have opted for a benchmark including glass shrouding: see page 29 for colour options
 All drawer compartments come with a conversion rail to allow left to right or front to back filing

INTERNAL DIMENSIONS

Compartment	Internal Height	Internal Depth	Internal Width
Personal Cupboard	294mm	440mm	366mm
Personal Drawer	290mm	420mm	297mm

Personal drawers can take Lever arch, box files and hotboxes without having to remove the filing rail

STANDARD HEIGHT ADJUSTMENT - larger height adjustment feet available


height	height adjustment
720mm	720 - 740

GLASS SHROUDING

Stylish glass casing gives your benchmark unit a glossy, classy finish. You may prefer to shroud your benchmark unit in a wood effect, in which case you should order your unit with no glass.



Note: This swatch is as accurate as printing will allow. Colours may vary slightly and therefore should be used only as a guide



Code	Description	Height (mm)	Width (mm)	Depth (mm)	Retail (£)
1 SK69LTSSR6	Skyline Tower, s:line handle ,Single Rail, 600mm d, Left hand	690	420	600	444.96
2 SK69LTSSR8	Skyline Tower, s:line handle ,Single Rail, 800mm d, Left hand	690	420	800	470.71
3 SK11LTSSR8	Skyline Tower, s:line handle ,Single Rail, 800mm d, Left hand	1100	450	800	850.78
4 SK12LTSSR8	Skyline Tower, s:line handle ,Single Rail, 800mm d, Left hand	1200	450	800	924.94
5 SK13LTSSR8	Skyline Tower, s:line handle ,Single Rail, 800mm d, Left hand	1300	450	800	939.36
6 SK69RTSSR6	Skyline Tower, s:line handle ,Single Rail, 600mm d, right hand	690	420	600	444.96
7 SK69RTSSR8	Skyline Tower, s:line handle ,Single Rail, 800mm d, right hand	690	420	800	470.71
8 SK11RTSSR8	Skyline Tower, s:line handle ,Single Rail, 800mm d, right hand	1100	450	800	850.78
9 SK12RTSSR8	Skyline Tower, s:line handle ,Single Rail, 800mm d, right hand	1200	450	800	924.94
10 SK13RTSSR8	Skyline Tower, s:line handle ,Single Rail, 800mm d, right hand	1300	450	800	939.36

5 year guarantee
 Fira tested
 Levelling Feet
 Available left and right hand facing (specified on order)
 Single Tool Rail as standard
 Strengthened slotted base can be used for filing
 s:line vertical handle design as standard




For Sky:line accessories and options: see page 31
 Additional options include multi rail, postal slot, no top panel and choice of handle design
 Additional accessories include A4 letter tray, pen pot, fixed pin board and magnetic whiteboard
 For carcass colour options: see page 33



Code Adjustment	Description of Option	Additional Retail (£)
Replace 6th Digit with N	No Top on Sky:line unit	0.00
2 Replace 8th Digit with P	Postal Slot detail	10.82
3 Replace 7th Digit with H	Bolt on Handle to replace s:line vertical handle design	20.60
4 Replace 9th Digit with M	Multi Rail option to replace standard single rail	44.29

UNIT ACCESSORIES



Code	Description	Accessory / option for:	Width (mm)	Retail (£)
1 SKSS642	600mm deep standard slim shelf	690mm high Sky:line	420	20.60
1 SKSS842	800mm deep standard slim shelf	690mm high Sky:line	420	23.69
1 SKSS845	800mm deep standard slim shelf	1100, 1200 & 1300mm high Sky:line	450	24.72
2 SKMS642	600mm deep slotted multi shelf	690mm high Sky:line	420	22.66
2 SKMS842	800mm deep slotted multi shelf	690mm high Sky:line	420	25.75
2 SKMS845	800mm deep slotted multi shelf	1100, 1200 & 1300mm high Sky:line	450	26.78
3 SKUP600	Slotted upstand for 600mm shelf	690mm high, 600mm deep Sky:line	All	13.39
3 SKUP800	Slotted upstand for 800mm shelf	All 800mm deep Sky:line units	All	14.42
4 SKDIV1	Divider for slotted shelf. Pack 1	All	All	5.15
5 SKA4LT1	A4 Letter trays	All	All	31.93
6 SKPH1	Pen Pots	All	All	21.63
7 SKPB600	Fixed Pin board - Cara fabric	All	All	67.98
7 SKPB800	Fixed Pin board - Lucia Fabric	All	All	67.98
8 SKMAGW	Magnetic Whiteboard - vinyl	All	All	20.60

Rule 1.
Building your code: Start with the range name, SK.

Rule 2.
The next 2 digits denotes the height of the unit.
69= 690mm
11=1100mm
12=1200mm
13=1300mm

Rule 3.
The chosen side of unit access must be considered ie a left or right handing specified (L or R)

Rule 4.
Top panels are included as standard, however if you wish to have no top panel, replace the 6th digit with N





















Rule 5.
Your chosen handle detail must be considered.
S= s:line handle design (standard)
H = Bolt on handle

Rule 6.
Do you want a postal slot as an additional feature? If yes, the next digit should be a P. If not S = standard

Rule 7.
Do you want a multi rail as an additional feature? If yes, the next digit should be a M. If not R = single rail (standard)

Rule 8.
The final digit denotes the depth of the unit. 6 = 600. 8 = 800

INTERNAL FILING CAPACITY

	STANDARD THIN SHELF A4 BOX FILES	STANDARD THIN SHELF FOOLSCAP LEVER ARCH	STANDARD THIN SHELF A4 LEVER ARCH	SLOTTED MULTI SHELF 330 FILING
 <p>SK13 1300mm</p>	 <p>A4 BOX FILES A4 BOX FILES A4 BOX FILES</p>	 <p>F/S LEVER ARCH F/S LEVER ARCH F/S LEVER ARCH</p>	 <p>A4 LEVER ARCH A4 LEVER ARCH A4 LEVER ARCH</p>	
 <p>SK12 1200mm</p>	 <p>A4 BOX FILES A4 BOX FILES A4 BOX FILES</p>	 <p>F/S LEVER ARCH F/S LEVER ARCH</p>	 <p>A4 LEVER ARCH A4 LEVER ARCH</p>	
 <p>SK11 1100mm</p>	 <p>A4 BOX FILES A4 BOX FILES</p>	 <p>F/S LEVER ARCH F/S LEVER ARCH</p>	 <p>A4 LEVER ARCH A4 LEVER ARCH</p>	
 <p>SK69 690mm</p>	 <p>A4 BOX FILES</p>	 <p>F/S LEVER ARCH</p>	 <p>A4 LEVER ARCH</p>	


Standard



Light Grey



Black



Graphite Grey



Goose Grey



Coffee & Cream




Brown




Beige

Mainstream




Silver




Racing Green



White



Verdigris



Ocean Cobalt



Peppermint Green

Earthy



Hessian Textured



Sand



Hickory Green



Honey Yellow

Intense



Traffic Purple



Sienna Orange



Chlorophyll



Red



Blue

TAMBOUR OPTIONS

Standard




White



Beige



Red



Blue



Black



Silver



Graphite



Grey


Satin & Silk




Silk Lime




Satin Graphite



Satin Claret



Satin Navy



Blue



Lime



Orange



White

Ice

Ime



Oak




Beech



Maple

Note: This swatch is as accurate as printing will allow. Colours may vary slightly and therefore should be used only as a guide



THE IDEAL PARTNER FOR ALL YOUR S:LINE UNITS

An integrated lid with hinge and drop down facility to make access easy.

A completely flexible interior which can accommodate a combination of hanging files, binders, magazines, notebook PC's and more.

A combination lock and tether point to keep it secure.

Ergonomic handles to make carrying it easy and comfortable.

A compact and smooth design so it fits in personal lockers, pedestals and lateral storage systems.

A storage clip to hang it on workplace screens and dividers, lifting it off the work-surface.

It is manufactured from polypropylene with aluminium internals to make it durable and lightweight.

Technical Information	Height Lid Closed: 270mm	Depth Lid Closed: 250mm	Depth: 385mm
	Height Lid Open: 260mm	Depth Lid Open: 267mm	
Manufactured from recycled polypropylene with aluminium inner panels			
UK Nett Price	Qty = 50-100 @	Qty = 101 upwards @	Min order qty = 45 units
		£38.81 per unit	

Range	Features	Options
s:l	<ul style="list-style-type: none"> -15 year guarantee -Fira tested -Levelling feet -2 Key master series with folding key fob -Dual point locking -Removable Locking barrels -Vertical handle design provides ergonomic motion and ease of use -Double skin double doors on s:l cupboards -Quick release hinges allowing closures to be removed and refitted -Strengthened slotted base plinth -Damaged panels can be repaired without the need to replace entire unit 	<ul style="list-style-type: none"> -2 widths to choose from and 5 sets of internals -Counter balance (must be ordered separately) -All drawer compartments come with filing rails to allow left to right and front to back filing -s:line hotbox available -See page 39 for our blind options for s:l side tambour units -See page 39 for colour options <p>Please see our s:l specification guide for more information</p>
G3	<ul style="list-style-type: none"> - 5 year guarantee -Desk high pedestal with levelling feet -Available left hand and right hand facing with ease of reconfiguring side on site -Pedestal includes pen tray -5th Castor provides anti-tilt -Supplied with Shelf 	<ul style="list-style-type: none"> -2 depths of pedestals -Choice of open fronted bookcase or Side Tambour top box -G3 magnetic whiteboard -Slotted Shelf, Letter Sorter and Divider Kit available -All standard range tambour blinds available. See page x -See page 39 for colour options
braced/interlock	<ul style="list-style-type: none"> -5 year guarantee -Levelling feet (fitted on installation) -2 Key master series with folding key fob -8 personal drawer configuration includes a security plate which will be inserted resulting in the top compartments still being interlocked. -Handle design detail -Individually locking personal drawers and doors -8 individual personal storage compartments to remove need of pedestals -Slotted base plinth on door compartments Strengthened base plinth 	<ul style="list-style-type: none"> -Glass cladding 6mm toughened glass -Upstand and Divider for door compartments -s:line hotbox available -All drawer compartments come with conversion rails to allow left to right and front to back filing -Choice of 3 configurations -See page 39 for colour options
h:d	<ul style="list-style-type: none"> -15 year guarantee -Fira tested -Levelling feet -2 Key master series with folding key fob -Dual point locking -Removable locking barrels -Vertical handle design provides ergonomic motion and ease of use -Double skin double doors on h:d personal cupboard compartments -Quick release hinges allowing closures to be removed and refitted -Full height back on drawers in conjunction with security plates for security -Individually locking personal drawers and doors -Strengthened slotted base plinth -Damaged panels can be repaired without the need to replace entire unit 	<ul style="list-style-type: none"> -2 widths to choose from -4 sets of internals for cupboard combinations -Counter balance (must be ordered separately) -All drawer compartments come with filing rails to allow left to right and front to back filing -Choice of configurations -s:line hotbox available -See page 39 for colour options <p>Please see our h:d specification guide for more information</p>
Sky:line	<ul style="list-style-type: none"> -5 year guarantee -Fira Tested -Levelling feet -Available left hand and right hand facing (specified on ordering) -2 Key master series with folding key fob -Dual point locking -Removable locking barrels -5th Castor provides anti-tilt -Single Tool Rail -Strengthened slotted base plinth <p>Please see our Skyline specification guide for more information</p>	<ul style="list-style-type: none"> -2 widths and 2 depths to choose from -4 heights to choose from -Postal Slot detail (specified on ordering) -Multi rail option -Choice of handle design -Fixed pin board -Magnetic Whiteboard -A4 letter trays and pen pots -Thinner standard shelf for increased on shelf filing capacity -Multi purpose shelf (330mm filing only), Upstand and divider Kit available -s:line hotbox available -With or without top panel -G3 topbox can be used instead of pedestal -See page 39 for colour options
s:line pedestal	<ul style="list-style-type: none"> -5 year guarantee -Fira Tested -desk high pedestal with levelling feet -2 Key master series -Pedestal includes pen tray -5th Castor provides anti-tilt 	<ul style="list-style-type: none"> -2 widths to choose from -3 heights to choose from -Choice of handle design -See page 39 for colour options

Silverline Office Equipment Ltd
James Carter Road
Mildenhall
Suffolk
IP287DE

T: +44(0)1638 582700
F: +44(0)1638 582714
E: enquiries@s-line.co.uk
W: www.s-line.co.uk

s:line

s:l h:d G₃ benchmark IGT Sky:line